





## 1/3 CMOS Colour/B&W Camera, 1000L, 12VDC/24VAC

- 1000 TV Lines
- Video analytics included: Fixed/Move, Fence, Tracking, Detection, Counting, Tampering
- Motorized Zoom Lens

## **SCV-5085P**



Technical Specifications	
Image Sensor	1/3" Progressive Scan CMOS, 1.3 Megapixel
Pixels - Total	1312(H) x 1069(V)
Pixels - Effective	1305(H) x 1049(V)
Lens Focal Length	3 ~ 8.5 mm
S/N Ratio	>52dB (AGC off)
Video Outputs	BNC
OSD	Yes, multi language
Camera ID	Off / On
Col/B	Auto, IR-cut filter removable (ICR)
BLC Back Light	Off/ User BLC/ HLC
Number of Privacy Zones	24
Digital Noise Reduction (DNR)	SSNR IV (Off/On)
Motion Detection	On/Off
White Balance	Auto, ATW, Indoor, Outdoor, Manual
Digital Zoom	Off/1 ~ 16x
Shutter Speed	1 ~ 1/12.000 sec
Coaxial control	Pelco-C (Coaxitron®)
Lens Drive Type	Auto iris (DC)
Operating Temperature	-30°C ~ +55°C
Humidity	less than 90%, non condensing
Protection Rating	IK10, IP66
Supply Voltage	12 Vdc, 24 Vac
Power Consumption (W)	5,0
Weight	0.722 kg - 1.59 lbs

## **SCV-5085P**



## **Dimensions**

