

## SCO-6083RP



## 1080p AHD IR Bullet Camera

- Compact Design
- Removable IR CUT Filter (ICR) for high IR sensitivity at night mode
- Day/Night feature with IR cut filter removable, for higher sensitivity and vibrant colors
- Weatherproof Outdoor Installation (IP66)
- Supports Easy Installation
- Supports Plug&Play Installation
- Varifocal Lens: f = 2.8 - 12 mm, auto iris, external adjustment
- Full HD 1080p resolution

## SCO-6083RP

## Technical Specifications

Image Sensor	1/2.9" CMOS Full HD
Scanning System	Progressive
Pixels - Total	2000(H) x 1121(V)
Pixels - Effective	1984(H) x 1105(V)
Sensitivity Colour	0.06Lux (F1.4)
Sensitivity B/W	0 Lux LED IR on
MOD (Minimum Object Distance)	0.5m
Lens Focal Length	2.8 ~ 12 mm
Focus Adjustment	Manual
Max. IR Distance	30 m
S/N Ratio	>52 dB
Col/B	On/Off/Auto, IR-cut filter removable (ICR)
WDR	120dB
Motion Detection	On/Off (4 Zones)
Lens Drive Type	Auto iris (DC)
Digital Noise Reduction (DNR)	SSNR IV (Off/On)
High Speed Shutter	Minimum / Maximum / Anti flicker (2-1/12.000sec)
Reverse	Off/ H-REV/ V-REV/ HV-REV
BLC Back Light	BLC / HLC / off
Camera ID	15 character, On / Off
White Balance	ATW, Manual, AWC, Indoor, Outdoor
Video Outputs	1x CVBS (1Vpp), BNC
Alarm Outputs	1 Relay
Supply Voltage	12 Vdc, 24 Vac, PoE (IEEE 802.3af)
Reach	500m (75-5 coaxial cable)
Protection Rating	IK10, IP66
Operating Temperature	-30°C ~ +55°C
Humidity	less than 90%, non condensing
Material	Aluminium
Power Consumption (W)	6
Weight	0.914 kg - 2.02 lbs
Dimensions	∅ 80 mm - 3.15 In

# SCO-6083RP

